




Love how you work.®



**dash**  
LED Task Lighting

**Steelcase**

Visit [steelcase.com](http://steelcase.com)

-  [facebook.com](https://www.facebook.com/steelcase)
-  [twitter.com](https://twitter.com/steelcase)
-  [youtube.com/steelcasetv](https://www.youtube.com/steelcasetv)

Concept and Design / Steelcase  
DW005EN 03/13 © 2013 Steelcase® All rights reserved. All specifications subject to change without notice.  
Printed on at least 60% recycled paper. Cert no. BV-COC-858659. Printed in France by OTT Imprimeurs – Wasselonne.




**Steelcase**



## LIGHT MATTERS.

The dash® and dash mini LED Task Lights feature clean lines, fluid movement and a timeless aesthetic. And yet, much of the beauty of dash lies in its superior light quality designed to eliminate distracting shadows, reduce eyestrain and improve worker comfort. Each dash LED Task Light is also available with an integrated occupancy sensor, shutting itself off when not in use.



**DISTRIBUTED LIGHT**  
dash produces a more evenly distributed light pool.





C7544



C7632


**SUBTLE. BOLD.  
VERSATILE.**

Complemented by a wide range of colours, the classic design of dash and dash mini offer the ability to complete a space or give it a splash of life—so choosing the right light for the workspace and the user is simple.




**COLLABORATIVE DEVELOPMENT**  
The dash LED Task Light is the culmination of an extensive collaboration between Steelcase and Foster + Partners of London, England.

**STATEMENT OF LINE**



**ADDITIONAL ENERGY SAVINGS**

An optional Passive Infrared (PIR) occupancy sensor—with a 36° activation range—turns the light off when it is not in use to avoid unnecessary energy use and extend lamp life.



**COOLER TO THE TOUCH**

The dash task light's innovative design features a convection airflow solution that minimises heat transfer, keeping the light head from becoming hot.



**SUSTAINABILITY FIRST**

As the first freestanding LED task light to achieve BIFMA level® 1 certification, dash is 97% recyclable, made of 32% recycled content and is mercury-free. Drawing only 8 watts, dash uses up to 25% less energy than competitive lights.




dash LED Task Light

dash mini LED Task Light

**STATEMENT OF LINE**

**DASH**



Freestanding c:scape and Integrated Rail Mount C-clamp Mount Orgarail Fixing


**DASH MINI**



Freestanding c:scape and Integrated Rail Mount C-clamp Mount Orgarail Fixing

**DIMENSIONS**

**DASH**



**DASH MINI**



**SURFACE MATERIALS**

Surface materials shown in brochure:

- |                    |              |
|--------------------|--------------|
| WM Arctic White    | V3 Blue Jay  |
| NL Low Gloss Black | Q6 Maya Blue |
| SL Platinum        | Q8 Wasabi    |
| Q7 Tangerine       | T7 Concord   |
| Q9 Scarlet         |              |

Colours are representative and may vary slightly from actual material.

**SUSTAINABILITY**

Designed by Steelcase, dash is manufactured in the USA for the EMEA (Europe, Middle East and Africa) market. Sustainability actions and results are annually communicated in the annual Steelcase Corporate Responsibility report.

**MATERIALS CHEMISTRY**

Wiring is free of PVC.  
Product is free of mercury.  
Power supply is RoHS compliant.

**RECYCLED CONTENT AND RECYCLABILITY**

Freestanding lamp fixture is 97% recyclable with 32% recycled content (25% post-consumer, 7% pre-consumer). Replaceable light head.

**PRODUCT ENVIRONMENTAL CERTIFICATIONS**

Product is level 1 certified with the BIFMA e3-2008 Furniture Sustainability Standards.

**SPECIFICATIONS**

- 8-watt LED
- 50 000-hour rated LED life
- 3 500K colour temperature
- Polished textured reflector
- Continuous range dimming control from 100% to 15%
- Momentary soft-touch switch
- Optional occupancy sensor
- Variable spring force for easy adjustability
- Convection airflow in head for heat dissipation
- Dual conductivity path to prevent power loss
- Replaceable light head
- Three user-adjustable tension control knobs
- 360° lower arm rotation
- 360° head rotation
- Arm 0,6 kg; base 3,7 kg; c:scape and integrated rail mount 0,1 kg (dash)
- Arm 0,450 kg; base 3,7 kg; c:scape and integrated rail mount 0,1 kg (dash mini)